

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

CJC-1295 / Ipamorelin - 10mg

Tested for: Ironspire Peptides

PASS

COA #: COA-2026--5BLDT
Lot Number: NO: 012609122910L
Accession #: ACC-2026-21599
Labeled Content: 10mg

Analysis Date: 10/07/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 09/30/2026



Scan to verify
authenticity at ils-lab.com
Access Code: EYS9G2GF

Method: Blend Purity, Identity & Quantitation (HPLC)

Identity

CJC-1295 / Ipamorelin

Peptide Purity

99.90%




Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.90%	%	PASS
Net Blend Peptide Content	Report Only	10.57	mg	N/A
-- ipamorelin		5.24	mg	
-- cjc-1295		5.33	mg	
Identity (HPLC-RTM)	IPAMORELIN + CJC-1295	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



CJC-1295 / Ipamorelin 10mg - NO: 012609122910L

HPLC Chromatogram



Representative chromatogram, Dedicated V0

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.90%	10.57 mg	Confirmed	PASS
Conformity V1	99.90%	10.31 mg	Confirmed	PASS
Mean	99.90%	10.44 mg	—	—
Std Dev	—	0.1300 mg	—	—

Notes & Methodology

- 1. Date Tested: 10/07/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
- 2. The sample was confirmed to be CJC-1295 / Ipamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- 3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- 4. Purity values are capped at 99.9% to reflect instrument limit of detection (LOD). Trace impurities below the detection threshold may be present.
- 5. Per-component content determined by individual peak integration. Not all labeled components may be present.
- 6. Chromatogram shown is representative: Dedicated V0 (99.90% purity, closest to batch mean of 99.90%).
- 7. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- 8. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
10/07/2026

COA #: COA-2026--5BLDT
Access Code: EYS9G2GF
Verify: portal.ils-lab.com/verify/c3nzcA59W0GIAAjjw
Issued: 10/07/2026